




Πολυεστερικό φίλτρο άμμου, GPN series



Τα φίλτρα GPN είναι από τα πιο πρόσφατα μοντέλα μονάδων φιλτραρίσματος της Acqua Source.

Λαμβάνοντας υπόψη τις απαιτήσεις των αγορών και την πολυετή εμπειρία στην παραγωγή, αυτή η σειρά φίλτρων της Acqua Source, παράγεται πιο οικονομική και βαρέως τύπου, για να μπορεί να χρησιμοποιηθεί για χρόνια. Καπότην αιτήματος, οποιοδήποτε χρώμα είναι δυνατό, ενώ παράλληλα παρέχεται με βαλβίδα πολλαπλών θυρίδων.


Όλα τα ανταλλακτικά και η συναρμολόγηση είναι ελληνικής κατασκευής.





Πίεση λειτουργίας: 1,0-1,5 kg/cm².
Μέγιστη πίεση λειτουργίας: 2,5 kg/cm².
Πίεση δοκιμής: 3,5 kg/cm².
Μέγιστη θερμοκρασία λειτουργίας: 40°C.
Πολλαπλή βαλβίδα: Περιλαμβάνεται.

Μοντέλο	Διάμετρος (mm)	Σύνδεση βαλβίδας (mm)	Παροχή (m ³ /h)	Άμμος (Kg)	Επιφάνεια φίλτρανσης (m ²)
			50 m ³ /h/m ²		
GPN-8	450	Ø 50	8	60	0,16
GPN-14	600	Ø 50	14	120	0,28
GPN-22	750	Ø 63	22	240	0,45
GPN-32	900	Ø 63	32	380	0,64
GPN-35	950	Ø 63	35	600	0,7



Μοντέλο	A (mm)	B (mm)	C (mm)
GPN-8	740	130	260
GPN-14	830	130	240
GPN-22	900	160	300
GPN-32	990	160	370
GPN-35	1190	230	410


ACQUA SOURCE S.A.

Manufacturer of swimming pool and fountain products

15 Sourì str., 121 31 Peristeri, Athens, Greece **Tel. & Fax:** +30 210 5721058, +30 210 5771863, +30 210 5774345

E-mail: acquasource.sales@gmail.com, acquasource@yahoo.com


www.acquasource.gr





Residential sand filters, GPN series


GPN filters are the latest model of filtration units. By considering the requirements of markets and years of experience in production, Acqua Source filter range is produced more economic and heavy-duty to able to use years. According to request, any colour is possible and supplied with multiport valve. All parts and assembly made in Greece.





Operating pressure: 1.0-1.5 kg/cm².
Max Operating pressure: 2.5 kg/cm².
Testing pressure: 3.5 kg/cm².
Max water temperature: 40°C.
Multiport valve: Included.

Model	Diameter (mm)	Valve Connection (mm)	Flow rate (m ³ /h)	Sand (Kg)	Filter area (m ²)
			50 m ³ /h/m ²		
GPN-8	450	Ø 50	8	60	0.16
GPN-14	600	Ø 50	14	120	0.28
GPN-22	750	Ø 63	22	240	0.45
GPN-32	900	Ø 63	32	380	0.64
GPN-35	950	Ø 63	35	600	0.7



Model	A (mm)	B (mm)	C (mm)
GPN-8	740	130	260
GPN-14	830	130	240
GPN-22	900	160	300
GPN-32	990	160	370
GPN-35	1190	230	410

ACQUA SOURCE S.A.

Manufacturer of swimming pool and fountain products

15 Souri str., 121 31 Peristeri, Athens, Greece **Tel. & Fax:** +30 210 5721058, +30 210 5771863, +30 210 5774345

E-mail: acquasource.sales@gmail.com, acquasource@yahoo.com

www.acquasource.gr

